

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Atty. Docket: **STEIN=10**

|                                    |   |                                    |
|------------------------------------|---|------------------------------------|
| In re Application of:              | ) | Conf. No.: <b>3440</b>             |
|                                    | ) |                                    |
| <b>Shai STEIN</b>                  | ) | Art Unit: <b>2416</b>              |
|                                    | ) |                                    |
| Appln. No.: <b>10/564,893</b>      | ) | Examiner: <b>Mohammad S. Anwar</b> |
|                                    | ) |                                    |
| Filed: <b>January 17, 2006</b>     | ) | Washington, D.C.                   |
|                                    | ) |                                    |
| For: <b>METHOD OF HANDLING ATM</b> | ) | <b>October 27, 2009</b>            |
| <b>PACKETS AT VP LAYER</b>         | ) |                                    |

**AMENDMENT**

Honorable Commissioner for Patents  
U.S. Patent and Trademark Office  
Randolph Building, Mail Stop **AF**  
401 Dulany Street  
Alexandria, VA 22314

Sir:

In response to the Office Action of July 27, 2009, please amend as follows:

**Amendments to the Claims** are reflected in the listing of claims that begins on page 2 of this paper.

**Remarks/Arguments** begin on page 9 of this paper.